

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF ACCREDITATION**

LABORATORY NAME AND ADDRESS
DUHS- BIOCHEMICAL GENETICS LABORATORY
801-6 CAPITOLA DRIVE
DURHAM, NC 27713

CLIA ID NUMBER
34D0674833

EFFECTIVE DATE
02/09/2019

LABORATORY DIRECTOR
DWIGHT KOEBERL M.D.

EXPIRATION DATE
02/08/2021

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Karen W. Dyer

Karen W. Dyer, Acting Director
Division of Laboratory Services
Survey and Certification Group
Center for Clinical Standards and Quality

206 Certs2_011519

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

| <u>LAB CERTIFICATION (CODE)</u> | <u>EFFECTIVE DATE</u> | <u>LAB CERTIFICATION (CODE)</u> | <u>EFFECTIVE DATE</u> |
|---------------------------------|-----------------------|---------------------------------|-----------------------|
| ROUTINE CHEMISTRY (310) | 09/24/2003 | | |
| TOXICOLOGY (340) | 05/14/2014 | | |

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.